



CRIMSON TRACE®



USER GUIDE


BDC PREDATOR RETICLE

BDC PREDATOR RETICLE

The BDC (Bullet Drop Compensation) PREDATOR Reticle is designed to compensate for the trajectory of a specific ammunition.

Please note that the reticle is based upon ballistic information and may or may not produce these exact results based on a variety of variables such as:

- Actual Velocity (Ammunition manufacturers' information may not match the exact velocity out of your firearm. The best way to confirm velocity is to use a chronograph).
- Temperature
- Humidity
- Altitude
- Barometric Pressure
- Condition of firearm
- Scope mounting system



TRACETM BALLISTIC CALCULATOR

Get precise bullet drops for your reticle and ammunition. Use our FREE Crimson Trace[®] Ballistic Calculator. *Available for all Crimson Trace[®] Reticles

Crimson Trace[®] Ballistic Calculator
Go to **www.crimsontrace.com**
for more information.

Subtensions for yardages were calculated using the following variables.
Note: all subtensions are calculated at MAX magnification.

- Caliber .223
- Muzzle Velocity (fps) 3165
- Bullet Wt (gn) 55
- Ballistic Coefficient G1 0.246
- Zero Range (yd) 100
- Temp (Fahrenheit) 59
- Altitude (feet) 2500
- Scope Height over bore (in) 2.50

SUBTENSION	YARDS	MOA
A	54	1.25"
B	215	1.25"
C	260	2.28"
D	300	3.28"
E	335	4.28"
F	385	5.88"
G	400	6.38"
H	415	6.88"
I	500	10.37"



CRIMSON TRACE[®]

CRIMSON TRACE HEADQUARTERS
9780 SW FREEMAN DRIVE, WILSONVILLE, OR 97070
TELEPHONE: 800-442-2406 • FAX: 503-783-5334
CRIMSONTRACE.COM