


KOPFJÄGER

K.I.L. STRAP



HEAVY DUTY
CONSTRUCTION



STRONG
NYLON STRAP

USER MANUAL


KJ89001

K.I.L. STRAP

The K.I.L. Strap is specifically designed to enhance accuracy while shooting from a tripod mounted gun rest like Reaper Grip or Reaper Rail systems by tightening your position without requiring additional muscle while also anchoring the shooter, firearm and gun rest to the ground—comparable to how a shooter loads a bipod but even more stable, given the benefit of opposing forces at work in the K.I.L. Strap. Used properly, stability, shooting position and recoil management are dramatically improved while effectively eliminating fatigue.

DIAGRAM


1. Nylon Strap
2. 550 Cord
3. Detach Clip(s)
4. Carabiner
5. Locking Strap Adjustment



SPECIFICATION:

GENERAL DESCRIPTION	
Brand Name	Kopffäger
Model Name	K.I.L. Strap
Category Name	Accessories
SKU Number	KJ89001
UPC Number	812495026171
TECHNICAL SPECIFICATIONS	
Strap size	1 inch
Max foot strap length range	55 inches
Paracord weight limit	550 lb.
Material	Nylon
Weight, lbs/g	.35 / 5.6
INCLUDED ACCESSORIES	
	Carabiner
FEATURES	
	Improves stability and accuracy
	Reduces fatigue
	Eliminates slack from the gun and tripod

Please visit www.kjrests.com for warranty details and information



MOUNTING

To assemble, simply remove the Reaper Grip or Reaper Rail rest from the tripod. Place the paracord attachment loop over the top of the tripod. Reinstall the Reaper Grip or Reaper Rail while ensuring the paracord loop is not pinched between the Reaper and the tripod head. Next, attach the D-ring to the to your sling, below the front sling-attachment point. All that remains is the strap hanging toward the ground with a loop (stirrup) on the end. Release the adjustment buckle and loosen the strap enough for the stirrup to lay on the ground.

USING THE K.I.L. STRAP

Place your foot through the stirrup up to mid-foot or your heel. Now, assume a solid shooting position with your rear foot in the stirrup. Grab the strap under the adjustment buckle and pull to tighten the slack out of the K.I.L. Strap. With the slack eliminated, inch your foot back. You'll feel the tripod load and the opposing force of the strap pulling the rifle up.

If you have shouldered your rifle properly, the force is now also driving the firearm deeper into your shoulder for a tighter, more stable shooting experience. To relax the load on the tripod or to move, simply lift your foot and remove it from the stirrup or use the adjustment buckle to release strap tension.

WARNING

Before handling the K.I.L. Strap, read and understand the contents of your Tripod's manual, and the Kopfjäger K.I.L. Strap manual. Follow all standard safety precautions and procedures during use.

- Do not exceed the tripod's maximum load capacity.
- Ensure the strap is secured tightly.
- Always remove firearm from strap and tripod when transporting.

Please visit www.kjrests.com for warranty details and information

NOTES

www.kjrests.com