

RETICLE TYPE


ZEISS CONQUEST V4 6-24x50

RETICLE #

ZBi (ZEISS Ballistic Illuminated)

#68

NON-ILLUMINATED



SFP – MOA represents “Second Focal Plane – Minute Of Angle” (1 MOA = 1.047 inches @100 Yards)

Not responsible for typographical errors. Efforts have been made to ensure accuracy of information at time of printing. Visit www.zeiss.com/us/sports-optics for the most up-to-date information. We reserve the right to modify without prior written notice.

Page 1 – V1 February 2020

ZEISS

RETICLE TYPE


ZEISS CONQUEST V4 6-24x50

RETICLE #

ZBi (ZEISS Ballistic Illuminated)

#68

ILLUMINATED



SFP – MOA represents “Second Focal Plane – Minute Of Angle” (1 MOA = 1.047 inches @100 Yards)

Not responsible for typographical errors. Efforts have been made to ensure accuracy of information at time of printing. Visit www.zeiss.com/us/sports-optics for the most up-to-date information. We reserve the right to modify without prior written notice.


Page 2 – V1 February 2020

ZEISS

ZBi (ZEISS Ballistic Illuminated)

#68

ILLUMINATED

RIFLESCOPE
SECOND FOCAL PLANECONQUEST V4
6-24x50

Magnification / Subtension

@ 24x

UNIT OF MEASURE

MOA

Line Thickness - A

0.12

Distance - B

0.25

Distance - C

1.0

Distance - D

2.0

Distance - E

1.0

Number Height - F

0.5

Distance - G

0.5

Drop Indicator Height - H

1.0

Line Spacing - I

5.0

Drop Indicator Line Thickness - J

0.06

Distance to Center of Number - K

1.0

Distance - L

30

Distance - M

2.0

Spacing Around Center Cross - N

1.0

Distance - O

2.0

Distance - P

0.5

Distance - Q

1.0

SFP – MOA represents “Second Focal Plane – Minute Of Angle” (1 MOA = 1.047 inches @100 Yards)

Not responsible for typographical errors. Efforts have been made to ensure accuracy of information at time of printing. Visit www.zeiss.com/us/sports-optics for the most up-to-date information. We reserve the right to modify without prior written notice.

